Receiving Report Batch No: M 12 JSRY Date: Dart P/O: Supplier: Νo N/A Release Note Attached: Yes Yes Yes Yes No ___ Packing Slip: Waybill Attached: Yes Invoice: Shipment Complete
QC6 Inspection Cr N/A Cash Receipt: N/A Work Order Discrepancies Quantity Quantity Quantity Comments Quantity Part Short Returned Description Received Ordered Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Receipt Listing

Friday, May 10, 2013 9:10:13 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19790 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Oty (PO U/M)	Cost Per Unit' Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
	Req										
VendorID\Vendor Name	ndor Nam		VC-RYS001 RYER	RYERSON INC.			0077	\$60.01	00000	0	\$2,307.79
PO19790	1		M7075T6B7.000X2.0 f	J.0.2	5/10/2013	5/10/2013 5/10/2013	33.4400	10.500			
	:		00	3 12	33 4400	33 4400 DESI02		\$2,307.79	0.0000	0	
CAD	oN S		7075-16 BAK 7,000 1	1 0	201			The second second second second			
,			nillets)								
			125584								026350
	ć		M7075T6B4,000X03,-f	j3, f	5/10/2013	5/10/2013 5/10/2013	11.0000	\$32.94	00000	0	00.2004
	4		000	, te				000	0000	C	
	No.		7075-T6 BAR 4.000'	. J ,0	11.0000			\$362.30	0.000		
			X 3.000"								
			125584								\$377.19
	. (1		M7075T73B2.500X0 f	f 03	5/10/2013	5/10/2013 5/10/2013	8.0000	\$47.15	0.0000		
	,		3.25					tice	00000	O	
	Ž		7075-T73 Bar 2.50 x f	x f	8.0000	DESJ02	-4	\$377.19	0.0000		
	!		3.25								
			125584						Total Deceived Onantity:)nantitv:	52,4400
					,			Toto E	Total Oty to Inspect (PO II/M):	(M/II):	0.0000
									Total Reject Ouantity:)uantity:	0.0000
									Total Receipt Value:	ot Value:	\$3,047.28

0.0000

Total Balance Due Quantity:

Shipping Order / Bordereau d'expédition

S.O. / Bordereau d'expédition

05/07/13 20:07 CST

de 2

Page 1

	071170
AO # SP AUDREUIL-DORION OC J7V 5V5 SP AP	X6-30//19
CHEMI	P.O. / Bon de commande
424-0153	
	19790
LTD.	T. I Designed
1270, ABERDEEN STREET 1270, ABERDEEN STREET	_
ON KGA 1K7 HAWKESBURY ON KGA 1K7 Phone/Tel (613)632-3336	Paquets totaux Z
,	Due Date / Date due
ressource	
AMENIA NT Camion PP/tous 1946	05/09/2013
Pro Bill / Bordereau d'envoi	Order Date / Date de commande
	05/06/2013
Otto Chinned Of	Oty Shinned/Oté exnédiée B.O.Oty/En souffrance
Line / # de ligne Item Description	
"375" X "1 X 13 375"	
7606.12.00.32	
organism and the commence of the commandee	UEA
(A SMSKID 603) T: 709049 T: 709049 T: 709049	
tials/Rempli par initiale: CR	
X 65"	
Tariff Code / Code tarifaire: 7606.12.10.52	UEA
Order Qty/Qte commandee 2 0KA / PCS: 2	
458939	
*** Filled by Initials/Rempli par initiale: CR	
3 5553-2850 PLA AL QQA250/12 7075T7351 BARE CLASS A1 2.500 X 3.250" X 96.000"	
Tariff Code / Code tarifaire: 7606.12.00.32	TIEA .
Oty Comm: 1 Order Oty/Ote commandee 1 UEA Pcs: 1	
(0 -PK/WI 86 LINE 2)	
Customer/Driver Instructions / Commentaires du client/chauffeur: LEVATEUR_AVANT COTE CHAUFFEUR LON (19 VENI) DECHARGEMENT AU CHARIOT ELEVATEUR_AVANT COTE CHAUFFEUR	
CFC ET MTR REQUIS A LA LIVRAISON	Contion.

Processing of this material may present a physical and or health hazard. See material safety data sheets for further information Les alliages d'aluminum, de cuivre, d'acier Avertissement: le Traitement de ce matériel peut présenter un risque physique et ou 'Alloys of Aluminum, Copper, Steel Caution: pour la santé. Pour de plus ample information voir les fiches. Packing List/Bordereau de marchandises

Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com,

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web www.ryerson.com, ou par votre representant interne, ou par telephone (800) 268-2680.

or from your sales representative, or by calling (800) 268-2680.

Received by/ Reçu Par:

Shipping Order / Bordereau d'expédition

Page 2 VAUDREUIL-DORION QC J7V 5V5 1270, ABERDEEN STREET Ship to/Expedier a: DART AEROSPACE LID. VAUDREUIL QC J7V 5V5 (450) 424-0153 200 RUE DU CHEMINOT 200 RUE DU CHEMINOT 1270, ABERDEEN STREET Sold to/Facturer a: DART AEROSPACE LTD. Phone/Tel # OW

S.O. / Bordereau d'expédition	X6-307719	P.O. / Bon de commande	19790

05/07/13 20:07 CST

~ ф

HAWKESBURY ON K6A 1K7 HAWKESBURY ON K6A 1K7 Phone/Tel (613) 632-3336	Line /# de ligne Item Description Line /# de ligne Item Description	Chtrl: X6FM0647 C: 458941 T: 709147	*** Filled by Initials/Rempli par initiale: CR	HAWKESBURY Line/# de ligne Cntrl	Item 1: X6FM Initial	ON K6A 1K7 Descript 0647 C: 458941 s/Rempli par ini		O T: 709147		Phone/Tel	(613) 632-3336 Oty Shipped/Oté expédiée B.O.Ot
--	---	-------------------------------------	--	------------------------------------	----------------------------	---	--	----------------	--	-----------	---

ty/En souffrance

Tariff Code / Code tarifaire: 7606.12.00.32 1.0000 LOT Order Qty/Qte commandee 7915-9998 ENERGY CHARGE

LOI

1.00

Pcs:

Customer/Driver Instructions / Commentaires du client/chauffeur: HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR_AVANT COTE CHAUFFEUR CFC ET MTR REQUIS A LA LIVRAISON

Packing List/Bordereau de marchandises

Processing of this material may present a physical and or health hazard. See material safety data sheets for further information Les alliages d'aluminum, de cuivre, d'acier Avertissement: Alloys of Aluminum, Copper, Steel Caution:

le Traitement de ce matériel peut présenter un risque physique et ou pour la santé. Pour de plus ample information voir les fiches. Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com,

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web www.ryerson.com, ou par votre representant interne, ou par telephone (800) 268-2680.

or from your sales representative, or by calling (800) 268-2680.

Received by/ Recu Par:

5/7/2013 8:13:46 PM PAGE 1/013 Fax Server

DART AEROSPACE LTD. P.O. - 19790 S.O. - 307719 promption of the property of the contract of t

> Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Dautschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0372246

SERIAL-NO.:

PAGE:

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

RYERSON CANADA INC.

CONSIGNEE:

3399 FRANCIS HUGHES

CDN LAVAL OC H7L 5A5

709049-4 ORDER NO. PURCHASER:

PART NO. PURCHASER:

5555-7603

ORDER NO. MANUFACTURER/ITEM:

66763 / 04

PRODUCT:

PLATE

SPECIFICATION:

AMS-00-A-250/12 APR 2007

ALLOY/TEMPER:

7075 1651

DIMENSION:

50,80 x 1536,70 x 3670,30 mm

NET LBS GROSS LBS

PACK-NO

LOT-NO

PACK-DAT.

7.474

7.174

744973 458936 14.03.12

Aleris Aluminum Kobienz GmbH Carl-Spaeter Str.10 56070 Kobienz/Deutschland





CONTRACTOR OF STATE OF STATE OF STATE AND ADDRESS OF STATE OF STAT

						Constitution of the second of
fir /141 dead provinces (secondone se ses se se se se se		!				
INSPECTION CE	RTIFICATE (EN 10204/	3 - 1		ORT / APPROVED	CERTIFICATE
:: 1:E			*C *C *		- 天生白色原本生色素の子は素の	
		:		1	מי מי	: 2/4
NO.: 0372246		LOT	- 1	58936	PAGE	: 2/4
•		:				
RESULTS:					•	
		1				
Mechanical pr	operties:					
`		:				
•				•	DAG.	1
Pl. No. Spec.		U.T.S.		El.	14	13/10/10
	2	2			\$-89	
	N/mm	N/mm		%		
		·				
Min. LT:	462	531		6,0		
Max. LT:						
			1			
1 A	499	570		12,7		
1 E	496	569		12,5		
2 A	499	571		12,7		
2 E	498	268		12,1		
=======================================						
Chemical comp	osition: in	ı % , rema	iin	der Al	Cast No.:	1-12-38/0
					Zn Ti	В
Si Fe	Cu		MG		5,828 0,034	
0,044 0,08	4 4 4		! !	494 0,196	T.i V	H2 (*)
	NŢ			Na		7 A A ('')
0,0031 0,00	28 0,0060		1 1		0,0000 0,008	, 0,05
Al Tl	the state of the s	Cu/Mg	1 1	/si		•
•	0,038		2,	D		
(*) = H2 in	11/100 g AL					
				= = = = = = = = = = = = = = = = = = =	=======================================	
Other tests:						
			1			
Dimensional		OK	ļ			
Surface cor		OK		_		
Ultrasonic	test:	OK		US-spec.	: AMS-STD-2154	TYPE I CL.A
Normative ref						
					DOCUMENT OF THE SALE	OTTE:
	the state of the s	COMPOSIT	LON	STANDARD/COM	POSITION CHIMI	JOE:
AMS-QQ-A-250/	(12:		11	/	OFFICE MINOR STORY	
	4	ROP.STAND	ARE	CARACTERISTI	QUE MECANLQUE	
AMS-QQ-A-250,	/12]	/	>~~~	
			ARI	/JLTRASONS -	NORME	
AMS-STD-2154	TYPE I CL	A				
-				i contract of the contract of		
<u> </u>						

5/7/2013 8:13:46 PM PAGE 3/013 Fax Server

Alens Aluminum Koblenz GmbH Carl-Speeter Str.10 56070 Koblenz/Deutschland





(1)(1)					100	1977	न्युक्तास्त्र क	क्षेत्रतास्य विकास क्षेत्रकार विकास क्षेत्रकार क्षेत्रकार क्षेत्रकार क्षेत्रकार क्षेत्रकार क्षेत्रकार क्षेत्रक इत्यास	inger e formittet firm e te if en la promente pun tour bem	Charles and an army color and an army color and
INSPECTION	CERTIFI	CATE	(EN	10204/	3.:	1) /	TEST	REPORT / A	APPROVED CER	RTIFICATE
No.: 03722	34.6			LOT	<u>.</u> .	4589	36.		PAGE:	3 / 4
			*===	====+==	<u>-</u> -		- 22 M. S. S.			
Remarks:								.e v		
Electrical	conduct	ivit	у:							
Min.:	33,0	 M	- ax.:	34,	1.	8.	ACS		Result:	OK
							, tal 120 120 12 12 1	: -		
Heat treat	ment:									
135 DEGREE	s C16	HI.								

0AS 13/05/12

5/7/2013 8:13:46 PM PAGE 4/013 Fax Server

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland



The lightest course to the course of the cou



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0372246

PAGE:

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 15.03.12 1W

Aleris Aluminum Koblenz GmbH

5/7/2013 8:13:46 PM PAGE 5/013 Fax Server

DART AEROSPACE LTD. P.O. - 19790 S.O. - 307719 ANALYMENT A HILL CONTRACT OF THE CONTRACT OF T

> Aleris Aluminum Koblenz GmbH Carl-Spacier Str.10 56070 Koplenz/Deutschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373889

SERIAL-NO.:

PAGE: 1 / 4

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

RYERSON CANADA INC.

CONSIGNEE:

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

ORDER NO. PURCHASER:

PART NO. PURCHASER:

709049-6 5555-8570

66763 / 06 ORDER NO. MANUFACTURER/ITEM:

PRODUCT:

PLATE

SPECIFICATION:

AMS-QQ-A-250/12 APR 2007

ALLOY/TEMPER:

7075 T651

DIMENSION:

3.000 x 60.50 x 144.50 INS

GROSS LBS

NET LES

PACK- NO

LOT-NO

PACK-DAT. 15.03.12

5.670

5.357

744854

458939

A STATE OF THE PROPERTY OF THE PARTY OF THE

Aieris Aiuminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland





							L) / TEST		(T / A.P.E		RTIFICATE
NO.: 0373889							158939			PAGE:	2 / 4
		g pp. sa., r.y)		4.3: CV Av AT F		v :					
				*							
RESULTS:											
Mechanical pr	opert	ies:									
		-							_		
Fl. No. Spec.	No.	Y.s.		U.T.	€.		El.	Č	AS 14	3/05/1	/
		KSI		KSI			8	9	89 /2	5/09//	<u>ب</u>
 Min. LT:		61,0		72,			5,0				
Max. LT:			1 1	•			•				
Mar. nr:			1 4								
		65,8	. i	77,	5		12,4				
1 A				77,			12,4				
1 E		65,8		77,	'						

Chemical com							•			O'-si	В
Si Fe		Pia		Mrı		M	Cr 403 0,2		211		
0,041 0,08	34 3	1,738								V.0329	H2 (*)
Zr Pb			- 1	Sn			Na 0005 C,0				
),005	.5	0 000	2	111	0.05 0.0	OOU	0,0000	5,0011	5,5,
0,0024 0,00					:	1					
0,0024 0,00 Al Ti	7	C1+Z1		Cu/Mg	:	Fe	/si				
Al Ti	: 3 - C	01+Zr			:	1	/si				
Al Ti (*) = H2 in I	7 0 nl/100	01+Zr 0,035 0 g A		Cu/Mg		Fe	/si o				
Al Ti	nl/100	01+Zr 0,035 0 g A		Cu/Mg		Fe	/si o		<u></u>		- * *
Al Ti (*) = A2 in t Cother tests:	nl/100	01+Zr 0,035 0 g A		Cu/Mg		Fe	/si o	# # # # # # #	<u> </u>	<u>.</u>	
Al Ti	nl/100	01+Zr 0,035 0 g A		Cu/Mg		Fe	/si o	e. e. u u u e.	<u> 22 22 22 </u>		- * * - - = - = -
Al Ti (*) = H2 in t cther tests:	7 001/1n =====	01+Zr 0,035 0 g A		Cu/Mg		Fe	/si o			<u> </u>	- * * - -
Al Ti (*) = H2 in t Cther tests: Dimensional	nl/100	01+Z± 0,035 0 g A =====		Cu/Mg		Fe	/si o	a. a. n. n. a.	<u> </u>	<u> </u>	
Al Ti (*) = H2 in t Cther tests: Dimensional Surface con	nl/loc l chec	01+Zx 0,035 0 g A =====		Cu/Mg ===== OK	=====	Fe	o 				
Al Ti (*) = H2 in t Cther tests: Dimensional	nl/loc l chec	01+Zx 0,035 0 g A =====		Cu/Mg	=====	Fe	o 				
Al Ti (*) = H2 in to Cther tests: Dimensional Surface con Ultrasonic Normative res	nl/100	0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035	1.	Cu/Mg		F0	/S1 0 ======== US-s	pec.:	Ams-st	ਾD−2154਼ ਧ	YPE 1 CL.
Al Ti (*) = H2 in t cher tests: Dimensional Surface con Ultrasonic	nl/100	0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035	1.	Cu/Mg		F0	/S1 0 ======== US-s	pec.:	Ams-st	ਾD−2154਼ ਧ	YPE 1 CL.
Al Ti (*) = H2 in to cher tests: Dimensional Surface con Ultrasonic Normative residence LEGIERUNGSNO AMS-QQ-A-250	nl/100 1 checutrol: test:	01+Zr 0,035 0 g A ==== ck: :		Cu/Mg		Fe 2,	/Si 0 ======== US-S	pec.: /COMP	AMS-ST OSITION	CH_W16A	YPE 1 CL.
Al Ti (*) = H2 in in Cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO: AMS-QQ-A-750 FESTIGKEITSNO	nl/100 nl/100 ntrol: test: ference RM/CHI /12 DRM/MI	01+Zr 0,035 0 g A ==== ck: :		Cu/Mg		Fe 2,	/Si 0 ======== US-S	pec.: /COMP	AMS-ST OSITION	CH_W16A	YPE 1 CL.
Al Ti (*) = H2 in i cher tests: Other tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO: AMS-QQ-A-250 PESTIGKEITSNO AMS-QQ-A-250	nl/100 nl/100 nl/100 ntrol: test: test: ferenc	01+ZI 0,035 0 g A ===== ck: :	T. C	Cu/Mg		Fe 2, 10N	/Si 0 ======== US-s (STANDAR)	pec.: /comp ISTIQ	AMS-ST OSITION UE MECA	CH_W16A	YPE 1 CL.
Al Ti (*) = H2 in i cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO AMS-QQ-A-750 FESTIGKEITSN AMS-QQ-A-250 AMS-QQ-A-250 AMS-QQ-A-250	nl/100 nl/100 ntrol: test: ference PM/CHI /12	01+ZI 0,035 0 g A =====	FRO	Cu/Mg		Fe 2, 10N	/Si 0 ======== US-s (STANDAR)	pec.: /comp ISTIQ	AMS-ST OSITION UE MECA	CH_W16A	YPE 1 CL.
Al Ti (*) = H2 in i cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO AMS-QQ-A-750 FESTIGKEITSN AMS-QQ-A-250 AMS-QQ-A-250 AMS-QQ-A-250	nl/100 nl/100 ntrol: test: ference PM/CHI /12	01+ZI 0,035 0 g A =====	FRO	Cu/Mg Cu/Mg OK OK OK OK CMPOS	ND?	Fe Z,	/Si 0 US-S STANDARD CARACTER D/ULTRASON	pec.: /COMP ISTIQ S - N	AMS-ST OSITION UE MECA ORME	D-2154 T	YPE 1 CL.
Al Ti (*) = H2 in i cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO AMS-QQ-A-750 FESTIGKEITSN AMS-QQ-A-250 AMS-QQ-A-250 AMS-QQ-A-250	nl/100 nl/100 ntrol: test: ference PM/CHI /12	01+ZI 0,035 0 g A =====	FRO	Cu/Mg Cu/Mg OK OK OK OK CMPOS	ND?	Fe Z,	/Si 0 US-S STANDARD CARACTER D/ULTRASON	pec.: /COMP ISTIQ S - N	AMS-ST OSITION UE MECA ORME	D-2154 T	YPE 1 CL.
Al Ti (*) = H2 in i cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO AMS-QQ-A-750 FESTIGKEITSN AMS-QQ-A-250 AMS-QQ-A-250 AMS-QQ-A-250	nl/100 nl/100 ntrol: test: ference PM/CHI /12	01+ZI 0,035 0 g A =====	FRO	Cu/Mg Cu/Mg OK OK OK OK CMPOS	ND?	Fe Z,	/Si 0 US-S STANDARD CARACTER D/ULTRASON	pec.: /COMP ISTIQ S - N	AMS-ST OSITION UE MECA ORME	D-2154 T	YPE 1 CL.
Al Ti (*) = H2 in I Cher tests: Dimensional Surface con Ultrasonic Normative re: LEGIERUNGSNO: AMS-QQ-A-250 PESTIGKEITSNO AMS-QQ-A-250 ULTRASCHALLNO AMS-STD-2154	nl/100 nl/100 ntrol: test: ference PM/CHI /12	01+ZI 0,035 0 g A =====	FRO	Cu/Mg Cu/Mg OK OK OK OK CMPOS	ND?	Fe Z,	/Si 0 US-S STANDARD CARACTER D/ULTRASON	pec.: /COMP ISTIQ S - N	AMS-ST OSITION UE MECA ORME	D-2154 T	YPE 1 CL.

5/7/2013 8:13:46 PM PAGE 7/013 Fax Server

Aleris Aluminum Koblenz GmbH Carl-Spaeler Str.10 56070 Koblenz/Deutschiand





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE
NO.: 0373889 LOT: 458939 PAGE: 3 / 4

Heat treatment:

AND THE REPORT OF THE PROPERTY OF THE PROPERTY

135 DEGREES C.-16H

AS 13/05/12

5/7/2013 8:13:46 PM PAGE 8/013 Fax Server

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland



A progression of the same of t



INSPECTION	CERTIF	CATE	(EN	10204/3	1.1)	1	TEST	REPORT	1	APPROVED	CERTIFICA	LE
		1.0	4.00	1 1								

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN 150 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 27.03.12 PS

Karl-Egor D'Altri

Quality assurance

Aleris Aluminum Koblenz GmbH

5/7/2013 8:13:46 PM PAGE 9/013

DART AEROSPACE LTD. P.O. - 19790 S.O. - 307719 The expension of the production of the productio

> Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0372251

SERIAL-NO.:

PAGE:

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

RYERSON CANADA INC.

CONSIGNEE:

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

709147 ITEM 1

5553-2847

66776 / 01

PRODUCT:

ORDER NO. PURCHASER:

PART NO. PURCHASER:

ORDER NO. MANUFACTURER/ITEM:

PIATE

SPECIFICATION:

AMS-QQ-A-250/12 APR 2007

ALLOY/TEMPER:

7075 17351

DIMENSION:

63,50 x 1524,00 x 4064,00 mm

NET LBS GROSS LBS

5.304

4.916

PACK-NO 744805

LOT-NO 458941

DAS 1 13/04/12

12.03.12

Aleris Aluminum Kobierz GmbH Carl-Spaeler Str.10 56070 Kobierz/Deutschland





The court of the Company with the West Company of the Company of t

INSPECTION								
						·		
NO.: 0372	251		Ť.	OT: 4589	41		PAGE:	2 / 4
NO.: 0372	20,							
			======		*****	***		
		1 1	:					
RESULTS:								
	:							
Mechanical		rties:						
			TT 00 C		Ėl.			
Pl. No. Sp	ec. No	2	0.1.5	2	- M- L			
			N/mm	_	8			
Min. LT:		359	456	3	6,0			
Max. LT:		441		-		. 1380		4
		•				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1	1 1
1 A		413	492	3	12,1	74	12/	08/12
		409	485	•	11,9	0. B.	75/2	
				İ				
Chemical o			1 8, 176	emainder	Al.	Cast	No.: 4-	T5-3863
	_			75-	Cr	7-3	Tri	B
Si I	e 	Cu	0.005	2 453	0 196	5 719	0.0397	0.0014
Zr J	2, USB 2b	Ni Ni	Sn	Be	0,196 Na	Li	V	H2 (*)
		0.0060			3 0,0000		0,0091	0,08
Al		Ti+2=						
		0,045		2,0	¥ .			
(*) = H2	im mi/:	100 g AL						
========	******	· · · · · · · · · · · · · · · ·		+				
Other test	:s:							
	, :		1					
						•		•
Dimensi		and the second second	OK					
Surface			OK	-	TTC	D.D.C.C. C.C.	TD 27 E 4 M	YPE 1 CL
Ultraso	nic te	st.:	OK		us-spec	-: WWS-EI	2.154 1	185 I CD
37		22406						
Normative	rerer							
LEGIERUNG:	SNORM	CHEMI CAI	COMPOS	TION ST	ANDARD/CO	MPOSITION	CHIMIQU	ΓE
AMS-QQ-A-							~	
FESTIGKEI	rsnorm	/MECH. PI	ROP . STAI	NDARD/CA	RACTERIST	IQUE MECA	NIQUE	
AMS-QQ-A-								
ULTRASCHA	LLNORM	/ULTRASO	NIC STA	יות/מצימה	TRASONS -	NORME		
AMS-STD-2								
Remarks			:					·
~~ ~~~~						****		
Electrica	l cond	uctivity	:					
				41,3 %	IACS	•	Result:	OK

5/7/2013 8:13:46 PM PAGE 11/013 Fax Server

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56079 Koblenz/Deutschland



From the masses of the first of the comment of the second second second second of the first of the second of the second s



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

No.: 0372251

LOT: 458941

PAGE:

3 / 4

Heat treatment:

105 DEGREES C.-76 / 170 DEGREES C.-13H.

(PAS) 13/05/12

5/7/2013 8:13:46 PM PAGE 12/013 Fax Serve

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland



AND THE PARTY OF T



Himarian edilerin (92 Handaran Hibarian								The services of	rae da lamra	Campiana na cabinoma na agi			
INSPECTION	CERTIFI	CATE	(EN	10204	/3.	I) /	TEST	REPOR	er /	APPROVED	CERTI	FICA	TE
NO.: 03722	:51									PAG	Æ:	4 /	4
Remarks:						:							
MANUFACTURE	ED, INSP	ECTED	, TE	STED	AND	UNLE	ss o		ISE		NFORM	IN ORDE	₹.

WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN 180 9001 AND EN 9100 IN THE RELEVANT VALID

MADE IN THE FEDERAL REPUBLIC OF GERMANY

VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

Enclosures:

Koblenz, the 15.03.12 IW

you

Comodine

Quality assurance

Aleria Aluminum Koblenz GmbH

1-TO-OS 07/08

0 8 MAI 2013

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19790

Rel :

S/O No: 307719 1

B/L No:

Inv No:

Ship To: (1)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307719

Part No.: 55567605

PLA AL 7075-T651

2.000 X 7" X 13.375"

Pcs -

Wqt

30

ALERIS ALUMINUM KOBL

Heat Number

458936

Test ID

709049

Control Number

X6FM0642

Ullen

30

13/05/12

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

CERTIFICATE TEST

0 8 MAI 2013

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19790

Rel :

S/O No: 307719 2

B/L No: Inv No:

Ship To: (1)

DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307719

Part No.: 55568595

PLAQUE AL 7075-T651

3.000X 4" X 65"

Pcs

Wqt

2

_______ ALERIS ALUMINUM KOBL PO X6 - 709049

Heat Number

458939

Test ID 709049

Control Number

X6FM0644

2



THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order

AUTHORIZED SIGNATURE

0 8 MAI 2013

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5

GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19790

Rel :

S/O No: 307719 3

B/L No:

Inv No:

Ship To: (1)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

OIA

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307719

Part No.: 55532850

PLA AL QQA250/12 7075T7351 BARE CLASS A1

2.500 X 3.250" X 96.000"

Pcs

Wat

ALERIS ALUMINUM

Heat Number

458941

Test ID

709147

Control Number X6FM0647

1

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19790

Purchase Order Date 5/06/13 PO Print Date 5/06/13

Page Number 1 of 2

Order From:

RYERSON INC.

200 DU CHEMINOT

VAUDREUIL, QUEBEC J7V 5V5

Contact Name

Vendor Phone

450-424-0153

Vendor Fax

450-424-0853

Vendor Account Nbr

Buyer

Requisition Nbr

Tax Resale Nbr

Terms Currency

FOB

Chantal Lavoie

10127-2607

Net 30 CAD

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

VC-RYS001

CANADA



Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable U	Req Qty/ Ship Method Init of Measure	Unit Price	Extended Price
l M	7075T6B7.000X2.000	7075-T6 BAR 7.000" X 2.000" (order in billets)	5/10/13	33.44 Yours ppd	\$69.5275	\$2,325.00
			Yes	f		

Special Inst:

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

CUT FROM PLATE

NOTE: PLEASE CUT MATERIAL TO SIZE 30 PCS CUT TO 13.375"

M7075T6B4.000X03.000

7075-T6 BAR 4.000' X

3.000"

5/10/13

11.00

Yours ppd

\$33.1818

\$365.00

Yes

Special Inst:

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

CUT FROM PLATE

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required (YES NO

Change Nbr:

thange Date:

5/06/13



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19790

Purchase Order Date 5/06/13 PO Print Date 5/06/13

Page Number 2 of 2

Order From:

RYERSON INC. 200 DU CHEMINOT

VAUDREUIL, QUEBEC J7V 5V5

Contact Name

Vendor Phone

450-424-0153

Vendor Fax

450-424-0853

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr Terms

Net 30 CAD

10127-2607

Currency FOB .

Destination-Collect

M7075T73B2.500X03.25

7075-T73 Bar 2.50 x 3.25

5/10/13 Yes

VC-RYS001

8.00 Yours ppd f

\$47.5000

\$380.00

Special Inst:

MATERIAL: 7075-T73 (OR 7075-T7351/T73510/T73511) BAR PER ASM-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR AMS-QQ-A-250/12 (AMS 4078)

PO Total:

\$3,070.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - YES NO

Change Nbr:

1

Change Date:

5/06/13